



 **pple**[®]
Door Systems

**ENTERPRISE
COLLECTION**



**GARAGE
DOOR
OPENERS**

**SECURE,
SAFE AND
CONVENIENT**



 **PROTECTOR**
Door Systems

3/4 HP




 **GUARDIAN**
Door Systems

1/2 HP



 **SENTRY**
Door Systems

1/3 HP



STANDARD FEATURES

Exceptionally quiet belt drive. Solid performing chain drive.

Safety first, safety always

When the obstacle sensing beam is crossed, the door reverses to fully open.

Smooth, quiet operation

Built-in vibration isolation system for both motor and chassis keeps noise and vibration from being transferred to the rest of the house.

Park or reverse door

To permit both ventilation and access, the garage door can be stopped and parked during either upward or downward travel.

Secure, responsive remote control

Remote controls operate over a long range and employ high security technology to prevent anyone from stealing your code and using it to gain entrance to your home.

Deluxe wall station

All controls are large and clearly marked (door UP/DOWN control, courtesy light switch, and vacation mode). Illumination for finding wall station in the dark.

Automatic courtesy light

Dual 100W MAX lights illuminate the garage for five minutes every time the operator is used.

Easy door release


When you need to open or close the garage door manually, simply release the operator's quick-disconnect trolley.

Assurance through self checks

The operator's self-diagnostic system continuously checks to see whether everything is working properly. In the unlikely event of a problem, it will pinpoint the trouble and let you know by flashing the courtesy light. You can often solve the problem on the spot with a call to Apple Door Systems.

Extra strong "I" Rail

Protector model comes standard with reinforced "I" Rail for large or heavy doors.



State of the Art Photo-Eye Door Safety System



Emergency Disconnect Handle



3-Channel Transmitter (Standard)



Deluxe Wall Station



Surge Protector

OPTIONS

Wireless Keypad, Model MDTK

Mini-Keychain Transmitter, Single Channel, Model ACT-31B

Mini-Keychain Transmitter, Four Channel, Model ACT-34B

Surge Protector, Model 2278

MODEL COMPARISON CHART

MODEL	Model Numbers	Horse-power	Standard Equipment	Options
Protector	PC, PB	3/4	<ul style="list-style-type: none"> 7 ft belt or chain rail Deluxe wall station MCT-3 3-channel visor transmitter 	<ul style="list-style-type: none"> 8 ft belt rail 8, 10, 12, or 14 ft. chain rail Wireless keypad entry system and mini keychain remote
Guardian	GC, GB	1/2	<ul style="list-style-type: none"> 7 ft belt or chain rail Deluxe wall station MCT-3 3-channel visor transmitter 	<ul style="list-style-type: none"> 8 ft belt rail 8 or 10 ft. chain rail Wireless keypad entry system and mini keychain remote
Sentry	SC, SB	1/3	<ul style="list-style-type: none"> 7 ft belt or chain rail Deluxe wall station MCT-3 3-channel visor transmitter 	<ul style="list-style-type: none"> 8 ft. belt or chain rail Wireless keypad entry system and mini keychain remote

WARRANTY INFORMATION

MODEL	ELECTRONICS	MECHANICAL	MOTOR	BELT
Protector	5 years	10 years	Lifetime	Lifetime
Guardian	3 years	10 years	Lifetime	Lifetime
Sentry	1 year	3 years	10 Years	Lifetime



Wireless Keypad

Mini Keychain Transmitter

